



PACKING SOLUTIONS

 **Screwdriving technology**

 **Workspace Organisation**

 **Safety & Ergonomics**



Your Assembly Workspace Partner



Why invest in a packing bench?

Are you looking for an easy packing bench option or a packaging solution which can answer varying needs and is highly adjustable? Our packing bench options can answer both these needs. In addition to benches, we can also offer matching trolleys, cabinets, lights, chairs and more to complete a fully functional workstation.

An ergonomic workstation, where everything is in its place, enables faster and more accurate packing, improves safety, makes it easier to switch between packing personnel and creates a clean and less-stressful atmosphere. Improved efficiency makes larger volumes and more revenue opportunities possible.

- ✓ **Improve efficiency, accuracy and safety**
- ✓ **Make it easy to switch between packing personnel**
- ✓ **Create a clean and less-stressful environment, thus energizing packing personnel**
- ✓ **Enable larger volumes and more revenue opportunities**

Packing Bench PB

is a well thought-out, safe and easy all-in-one choice

- ✓ Safe, economic and ergonomic all-in-one choice
- ✓ Adapts and grows according to needs
- ✓ 50+ accessories and add-on products available
- ✓ One flat pack contains all the basic equipment
- ✓ Easy to buy, transport and assemble

This packing table adapts and grows according to your needs. You don't need to know what your business will look like in two years' time, as you can add and remove accessories as you go. Start small and add from over 50 accessories based on your needs. TPB comes in one flat pack and is easy to assemble. Perfect packing table option for cost-conscious users.

Carefully selected materials, high-quality finishing, epoxy powdercoated steel parts RAL 7035. Laminate bench top, 25 mm low-pressure laminate.




Packing bench TPB

Size W x D mm	Max load kg
900 x 1500 x 650-900	300
900 x 1800 x 650-900	300

Packing bench TPB915/TPB918 includes:

Name	Description
1. Height adjustable upper steel shelf	Size 310 x 1500/1800 mm. Max load 30 kg. Fixing positions for Treston lighting units under the shelf.
2. Adjustable divider hoops	Five adjustable divider hoops (height 400 mm).
3. Height adjustable steel perforated panel with bin rail	Size of the panel 1419/1719 x 255 mm. For auxiliary steel shelves and stacking bins. Max load 20 kg.
4. Auxiliary steel shelf	Size 217 x 298 x 20 mm, for A4 paper and tape dispensers (max 2 pcs per shelf). Max load 3 kg.
5. Upper paper roll holder	Height adjustable. Axle diameter 25 mm. Max roll width 1400/1700 mm. Max load 40 kg.
6. Lower paper roll holder	Simply hangs on horizontal bars of legs. Depth adjustable. Axle diameter 25 mm. Max roll width 1350/1650 mm. Max load 40 kg.



TPB accessories



See additional accessories, lighting units, paper roll holders and cutters on pages 9-11.

Name	Description	Size W x D x H mm
1. Lower steel shelf	Hangs on horizontal bars. Max load 30 kg.	1418 x 460 1718 x 460
2. Low M-divider hoops	Steplessly adjustable. 4 pcs per set. M-shape (the lowest point 105 mm from shelf).	460 x 315
3. Recycling material bin	60 ltr bin with steel brackets. Can be positioned on either side. Max load 15 kg.	530 x 280 x 585
4. Swivel arm	With lockable, angle adjustable steel tray. Max load 15 kg.	460 x 210
5. PC stand	An adjustable holder for either a vertical or horizontal CPU, to mount underneath the bench top.	Vert. 130-140 x 395-500 Horiz. 340-460 x 180-285
6. LCD swivel arm	The quick-release mechanism is equipped with a standard flat-screen mount 75 x 75 mm and 100 x 100 mm. The arm is double articulated and turns through a radius of 180°. Extends between 95-425 mm from the upright. Max load 10 kg.	
Adapter	The adapter is needed for fixing MH/MA/MA2 arms to the TPB C-profiles.	
7. Tool and lighting support	For suspending power tools and lighting units. Includes one C-profile bar with sliding hook.	1500 x 600 1800 x 600
8. Side worktop	Easy to fix to the legs of the bench. Can be fixed on the left or right side of the bench and brackets placed either above or underneath. Height adjustable 575-900 mm from floor. Max load 35 kg.	400 x 900
9. Auxiliary steel shelf*	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.	217 x 298 x 20
10. Divider hoops set *	Adjustable divider hoops for shelf of depth 310 mm. 5 pcs per set.	Height 400
11. Aluminium bin rail	For auxiliary steel shelf (ASSA4), stacking and picking bins. Max. load 15 kg	1419 x 35 x 75 1719 x 35 x 75
12. Pull-out steel shelf for printer	Mounting under the bench top. Free space for printer 400 x 500 x 415 mm. Pull-out extent 500 mm. Max load 35 kg.	500 x 510 x 515
Extra high upright profiles	If you need more space for uprights. 400 mm taller than standard one.	Height 1470
Cable clip set	5 pcs. The cable clip set will hold cables, etc. securely and neatly in place along the bench frame.	

Concept bench

accommodates the most demanding needs



- ✓ For all packaging needs, no need for compromises!
- ✓ Wide variety of modules, options and variations
- ✓ Largest number of accessories on the market
- ✓ Sturdy, stable, high-quality

You can choose from various table top material options, sizes and lengths; allen key, hand crank or motor adjustable bench frames; racks for holding bins, cutters, rolls, and more; an endless number of modules and accessories including cutters, tape dispensers, PC stands and more.

Whatever the variation you need, you can build it from Concept and its modular elements. Modules fit together seamlessly, giving you an opportunity to create a complete packaging solution, perfectly matching your needs. Building packaging combinations from varying, yet standard modules makes it possible to create an ergonomically well-functioning packaging solution which is also robust and economic. No need for costly extra modifications or compromises!

Concept bench frames

Frame type	Size W x D x H mm	Max load kg
Allen key adjustable	1500 x 750 x 670-1120	500
Hand crank adjustable	1500 x 750 x 675-1025	200
Motor adjustable	1500 x 750 x 700-1100	400
Allen key adjustable	1500 x 900 x 670-1120	500
Hand crank adjustable	1500 x 900 x 675-1025	200
Motor adjustable	1500 x 900 x 700-1100	400
Allen key adjustable	1800 x 750 x 670-1120	500
Hand crank adjustable	1800 x 750 x 675-1025	200
Motor adjustable	1800 x 750 x 700-1100	400
Allen key adjustable	1800 x 900 x 670-1120	500
Hand crank adjustable	1800 x 900 x 675-1025	200
Motor adjustable	1800 x 900 x 700-1100	400
Accessory bar 1500 *	1340 x 40 x 80	
Accessory bar 1800 *	1560 x 40 x 80	
Castor set	Ø100	

*Depth adjustable (150 mm) accessory bar to allen key adjustable benches for CPU-holder etc. The bar is included with hand crank and motor adjustable benches.

Concept bench tops

Bench top material	Size W x D mm
High pressure laminate	1500 x 750
High pressure laminate	1500 x 900
High pressure laminate	1806 x 750
High pressure laminate	1806 x 900
High pressure laminate	2000 x 750
High pressure laminate	2000 x 900
Low pressure laminate	1500 x 750
Low pressure laminate	1500 x 900
Low pressure laminate	1806 x 750
Low pressure laminate	1806 x 900
Low pressure laminate	2000 x 750
Low pressure laminate	2000 x 900

Concept upright tubes

Name	Length mm
Upright tube	1359
Upright tube	1582
Upright tube module 2 x M750	1359
Upright tube module 2 x M750	1582
Upright tube module 2 x M900	1359
Upright tube module 2 x M900	1582

Accessories are attached to the Concept bench with the aid of upright tubes or a pre-assembled upright tube module.

Concept accessories

See additional accessories, lighting units, paper roll holders and cutters on pages 9-11.



Cable cover, TTS-shelf



Shelf for packing material SPM




Fastening parts for SPM-shelf

Name	Description	Size W x D x H mm	Suitability / module
1. Light and balancer rail	Luminaires are fitted to light/balancer rails which are height and depth adjustable. Max load 15 kg.	1500	2 x M750
		1800	2 x M900
2. Tiltable top shelf TTS	Tiltable steel shelf with front lip. Max tilt 12,5°. Front lip height 30 mm. Can also be installed at the back of the shelf. Can be equipped with PDH400 dividers and CCM-cable cover. Fixing points for TNL-lighting units. Max load 80 kg.	717 x 400 x 32	M750
		870 x 400 x 32	M900
		1467 x 400 x 32	M1500
		1773 x 400 x 32	M1800
3. Divider hoops set (4 pcs), TTS-shelf	Adjustable divider hoop set for the TTS-shelves of depth 400 mm. Can be tightened under the shelf with the screws.	8 x 400 x 400	TTS-shelves depth 400
4. Cable cover, TTS-shelf	With cable cover, you can conveniently hide the cables under the shelf. The cover is 125 mm deep and it covers whole shelf. Suitable for TTS-shelf.	612 x 125 x 19	M750
		815 x 125 x 19	M900
		1362 x 125 x 19	M1500
		1666 x 125 x 19	M1800
5. Shelf for packing material SPM	600 mm deep shelf for many purposes. The shelf does not include fastening parts. Fastening parts are ordered separately from the following options. The shelf can also be equipped with PDH600 divider hoops. Max load 60 kg.	467 x 600 x 32	M500
		717 x 600 x 32	M750
		870 x 600 x 32	M900
		1167 x 600 x 32	M1200
		1317 x 600 x 32	M1350
		1467 x 600 x 32	M1500
		1773 x 600 x 32	M1800
6. Brackets for Concept accessory bar, SPM-shelf	Fastening set for the fixed lower shelf. With fastening set you can fit SPM-shelf to the accessory bar of Concept.		SPM-shelves Concept
7. Adjustable fastening set under worktop, SPM-shelf	Mounting parts for height adjustable lower shelf. SPM-shelf can be fitted under worktop with mounting parts. Free space 285-465 mm on lower shelf.	90 x 350 x 355	SPM-shelves Concept, TPB
8. Brackets for upright tube, SPM-shelf	Mounting parts for top shelf to the upright tube. With the mounting kit, you attach the SPM shelf to the upright tube.		SPM-shelves Concept
9. Divider hoops set (4 pcs), SPM-shelf	Divider hoop set for the SPM-shelves. The fixed divider is tightened with the screw at the front edge of the shelf.	8 x 400 x 280	SPM-shelves
10. Adjustable auxiliary top	Ergonomic tilt adjustable tray with double arm (0-25°). Lipped edge of 15 mm. Max load 15 kg.	560 x 340	
11. Equipment tray	With double arm and handle. For small tools and packing accessories such as BLD20 (page 9). Max load 15 kg.	500 x 250 x 125	
12. Keyboard tray for LCD holder	Max load 5 kg.	480 x 260	
13. LCD holder with double arm	Max load 15 kg.		
14. Pull-out steel shelf for printer	Mounting under the bench top. Free space for printer 400 x 500 x 415 mm. Pull-out extent 500 mm. Max load 35 kg.	500 x 510 x 515	

Concept accessories

See additional accessories, lighting units, paper roll holders and cutters on pages 9-11.



Name	Description	Size W x D x H mm	Suitability / module
1. Perforated panel	Fastened to the upright tubes. The size of the perforation is 9 x 9 mm, center to center 38 mm. Can be equipped with panel hooks, boxes and trays.	718 x 389 871 x 389 1474 x 389 1774 x 389	M750 M900 M1500 M1800
2. Roll holder set	Roll holder set for uprights. Axle 25 mm zinc electroplated. Max load 40 kg.	635 (max roll length) 785 (max roll length) 1400 (max roll length) 1700 (max roll length)	M750 M900 M1500 M1800
3. Roll holder set under worktop	Steel tube (Ø 25 mm) for storage of packing material. Comes with fixing brackets. Max roll length 1200/1500 mm. Max. load 40 kg.	1500 1800	
4. Aluminium bin rail	Fixed on upright tubes. For auxiliary steel shelf (page 9), stacking and picking bins. Max load 15 kg.	736 x 55 x 75 889 x 55 x 75 1486 x 55 x 75 1792 x 55 x 75	M750 M900 M1500 M1800
5. Auxiliary top, fixed brackets	Suitable for printer, boxes, etc. Mount on upright tube. Left and right side version. Max load 40 kg.	400 x 500 400 x 500	Left side Right side
6. Printer platform slideable	Printer shelf with sliding platform for easy replacement of the label roll. Mount on upright tube. Max load 30 kg.	315 x 530	
7. Rotating tool panel	Fixing frame with double arm. Max load 15 kg.	513 x 320	
8. Perforated panel for rotating tool panel		470 x 300	
9. Tool trough M500 for rotating tool panel		470 x 150	
10. Bin rail M500 for rotating tool panel	Aluminium bin rail for auxiliary steel shelf (page 9), stacking and picking bins.	486 x 55 x 75	
11. Document shelf	Handy steel document shelf (tilting 10-75°) for plastic bins, papers, small tools, etc. Max load 5 kg.	720 x 265 870 x 265	M750 M900
12. Document holder	Steel document holder fixed on upright tube. Easily adjustable with the double arm. Max load 5 kg.	A4 A3	
13. PC / folder box	Fitted to upright tube. Max load 5 kg.	130 x 290 x 330	
14. Bottle holder	Steel bottle holder for upright tube.	Ø100 mm	
15. Tooltray	Fitted under worktop. Suitable for all motor benches and for other benches only with 900 mm deep bench tops.	1000 x 60	
16. CC cable clip set (5 pcs)	Suitable for upright tubes.		

TPB and Concept accessories



Name	Description	Size W x D x H mm	Suitability
1. Auxiliary steel shelf	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.	217 x 298 x 20	TPB, Concept
2. Stacking bin set	Four bins made of blue polypropylene (PP).	2 pcs 230 x 155 x 140 2 pcs 185 x 125 x 115	TPB, Concept
3. Tool holder box	With two blue plastic bins type 3020.	400 x 300 x 150	TPB, Concept
4. Fixed tape dispenser	Feeds tape from a roll; for a tape roll with a 76-mm socket. Includes screws to fix the dispenser to ASSA4. Max roll Ø 120 mm and width 50 mm.		TPB, Concept
5. Basic label dispenser	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed in a shelf or tray. Can be fixed with screws. Max roll Ø 220 mm and width 210 mm.	214 x 128 x 120	TPB, Concept
6. Paper roll dividers	Keeps the packing material rolls in place. Made from MDF. For axle Ø 25 mm. Includes 2 dividers and 2 spring locks.	Ø 170 mm	TPB, Concept
7. Pull-out recycling material bin	Fixed under worktop with steel rails. Bin 60 ltr. Max load 15 kg.	286 x 570 x 650	TPB, Concept
8. Utility box	Mount on perforated panel. Max load 4 kg.	410 x 155 x 90	TPB, Concept
9. Tray R47	Mount on perforated panel. Max load 4 kg.	350 x 120	TPB, Concept
10. Paper roll holder	Mount on perforated panel. Max roll width 300 mm.		TPB, Concept
11. Shelf for packing material	600 mm deep shelf for many purposes. Fastening parts are ordered separately. The shelf can also be equipped with PDH600 divider hoops. Max load 60 kg.	467 x 600 x 32 717 x 600 x 32 870 x 600 x 32 1167 x 600 x 32 1317 x 600 x 32 1467 x 600 x 32 1773 x 600 x 32	M500 M750 M900 M1200 M1350 M1500 M1800
12. Adjustable fastening set under worktop	Mounting parts for height adjustable lower shelf. SPM-shelf can be fitted under worktop with mounting parts. Free space 285-465 mm on lower shelf.	90 x 350 x 355	SPM-shelves Concept, TPB
13. Divider hoops set SPM-shelf	Divider hoop set (4 pcs) for the SPM-shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.	8 x 400 x 280	SPM-shelves
14. Outlet panel	5 Schuco wall sockets, switch and 3 m cable.		TPB, Concept
15. Pull-out steel shelf for printer	Mounting under the bench top. Free space for printer 400 x 500 x 415 mm. Pull-out extent 500 mm. Max load 35 kg.	500 x 510 x 515	TPB, Concept
16. Treston NaturLite LED 1200	Lean aluminium body, dimmable bright light, max 3100 lx, 56 W, 4000 K, opal cover.	1180 x 120 x 50	TPB, Concept
17. Treston NaturLite LED 900	Lean aluminium body, dimmable bright light, max 2300 lx, 42 W, 4000 K, opal cover.	900 x 120 x 50	TPB, Concept
18. Treston NaturLite LED Wing 500	Sidelight. Lean aluminium body, dimmable, max 800 lx, 14W, 4000 K, opal cover.	430 x 120 x 50	Concept

Packing material roll stands

① High packing material roll stand

High stand for two rolls. The rolls are adjustable in height. Axle diameter 25 mm. Max roll Ø 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.

Size W x D x H mm	Module	Max roll width mm
1380 x 715 x 1500	M1350	1200
1530 x 715 x 1500	M1500	1400
1830 x 715 x 1500	M1800	1700



! Bracket pair for cutter, page 11

② Low packing material roll stand

Low stand for one roll. The roll is adjustable in height. Axle diameter 25 mm. Max roll Ø 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.

Size W x D x H mm	Module	Max roll width mm
1380 x 715 x 1000	M1350	1200
1530 x 715 x 1000	M1500	1400
1830 x 715 x 1000	M1800	1700



③ Castor set for packing material roll stands

4 swivel castors Ø 100 mm, 2 with brakes. Attached directly to the stands.

Size mm
Ø 100



④ Extra roll holder set

Extra roll holder set for packing material roll stands. Including brackets. Axle diameter 25 mm, zinc electroplated. Max load 40 kg.

Module	Max roll width mm
M1350	1200
M1500	1400
M1800	1700



Cutters

① Cutter PPC

The round cutting knife will slice through paper and cardboard with ease. Can be affixed to the bench top or alternatively to the upright profiles with fixing brackets PPC FB.

Size W x D x H mm	Module	Cutting width mm
1350 x 130 x 200	M1350	1110
1485 x 130 x 200	M1500	1250
1785 x 130 x 200	M1800	1550



② Fixing brackets for cutter

In order to obtain an ergonomic position, the cutters can also be affixed to the upright profiles of all the workbenches using these fixing brackets. The fixing brackets make the cutter both height and tilt adjustable, tilt 30 degrees. Cutter is ordered separately.

Suitability
TPB/Concept upright profiles



③ Bracket pair for cutter

Cutter PPC can be fitted to the packing material roll stand with the bracket pair. Height adjustable. Cutter is ordered separately.

Suitability
Packing material roll stands





Fully functioning packaging area

Whether you handle, wrap, pack or unpack big or small materials and items, they need to be stored, lifted, or brought via a belt conveyor system to the packing table and removed from the workstation.

To create a fully functioning packaging area, we are offering also includes a variety of trolleys, cabinets and shelves which are an integral part of a good packing environment. Treston packaging tables, together with industrial complementing furniture, help you maximize production and speed up the packaging process. Also, don't forget chairs and good lighting – both elements which complete a well-functioning packaging station.

All Treston furniture and both packing table designs take into account ergonomic aspects, enabling you to keep all packaging materials within easy reach. Both TPB918 and Concept are made according to the highest quality standards.

Trolleys

Only a selection of our trolleys is presented in this brochure. Please visit our webpage for the full range.

Low carton trolley LCT610

Trolley for large cartons. Three dividers can be assembled crosswise or lengthwise. The fourth divider is a push handle.

Frame and shelf are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (Ø 100 mm), two of which have brakes. Shelf height above the ground 160 mm.

Size W x D x H mm	Shelf size W x D mm
1080 x 630 x 1020	1000 x 630



High carton trolley HCT410

Trolley for packing cartons. Shelves are equipped with steplessly adjustable steel M-divider hoops. Larger hoop height 540 mm, lowest point 330 mm above the shelf, smaller hoop height 315 mm, lowest point 105 mm above the shelf.


Frame and individually height adjustable shelves are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (Ø 100 mm), two of which have brakes.

Size W x D x H mm	Shelf size W x D mm
1090 x 530 x 1515	1000 x 430



Carton trolley

Name	Description	Size W x D x H mm
1. Castor Set	Castor set for carton trolley. The castor set gives you a trolley from the SPM-shelf.	1180 x 600 x 425
2. Shelf for packing material	600 mm deep shelf for many purposes. The shelf can also be equipped with PDH600 divider hoops. Max load 60 kg.	467 x 600 x 32 717 x 600 x 32 870 x 600 x 32 1167 x 600 x 32 1317 x 600 x 32 1467 x 600 x 32 1773 x 600 x 32
3. Divider hoops set (4 pcs), SPM-shelf	Divider hoop set for the SPM-shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.	8 x 400 x 280



Recycling material trolley PRMT

The recycling trolleys are ideal for placing underneath or beside the packing bench. The bins are adjustable in angle for ease of use! The trolley comes with four swivel castors, two with brakes. Available in single and double version.

Size W x D x H mm

350 x 625 x 765

680 x 625 x 765



Multitrolley with accessories

Name	Description	Module	Size W x D x H mm
1. Multi trolley frame	Max load 300 kg.	M750 M900	780 x 715 x 1630 935 x 715 x 1630
2. Shelf for packing material	600 mm deep shelf for many purposes. The shelf can also be equipped with PDH600 divider hoops. Max load 60 kg.		717 x 600 x 32 870 x 600 x 32
3. Brackets for upright tube SPM	Mounting parts for top shelf to the upright tube. With the mounting kit, you attach the SPM shelf to the upright tube.		
4. Divider hoops set SPM-shelf	Divider hoop set (4 pcs) for the SPM-shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.		8 x 400 x 280
5. Aluminium bin rail	For auxiliary steel shelf, stacking and picking bins. Very sturdy. Max load 15 kg.	M750 M900	736 x 55 x 75 889 x 55 x 75
6. Tablet bracket MY	Tablet bracket for 7-10" tablets.		
LCD bracket MH	The quick-release mechanism is equipped with the standard used flat-screen mount 75 x 75 and 100 x 100 for the mounting of all normal flat screens.		
Adapter set	Adapter set for fixing LCD bracket MH to the upright tubes.		200 x 110 x 60
7. Auxiliary steel shelf	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.		217 x 298 x 20
8. Roll holder set	Roll holder set for packing material rolls. Max load 40 kg.	M750 M900	
9. Fixed tape dispenser	Feeds tape from a roll; for a tape roll with a 76-mm socket. Includes screws to fix the dispenser to ASSA4. Max roll Ø 120 mm and width 50 mm.		
10. Basic label dispenser	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed in a shelf or tray. Can be fixed with screws. Max roll Ø 220 mm and width 210 mm.		
11. Document holder A4	Steel document holder fixed on upright tube. Easily adjustable with the double arm. Max load 5 kg.		
12. Equipment tray	With double arm and handle. For small tools and packing accessories such as BLD20. Max load 15 kg.		500 x 250 x 125

Please visit our webpage for full range of module M750 and M900 accessories.



Packing benches

- ✓ Sturdy and stable
- ✓ Modular, enabling a multitude of configurations economically
- ✓ Generous surface area
- ✓ Widest range of accessories accommodating any combinations

Whether you have a small web shop or represent larger numbers of manufacturing, logistics centre or spare parts store, don't hesitate to contact Treston experts for service and speedy delivery.



Fin – no more stress from working standing up

Almost every other employee has to work standing up for long periods of time. But standing over prolonged periods subjects the human body to significant stress, and is responsible for a number of complaints relating to the heart and the circulatory and musculoskeletal systems.

Fin provides the ideal solution in all those areas of work where until now it has not been normally possible to sit down, but where standing up all the time is too tiring. Because Fin takes away the stress from those who have to stand up to work, allowing them to concentrate on their performance at work rather than being distracted by the discomfort of standing up. Fin takes as much as 60 % of body weight off the legs and feet, and


redistributes it comfortably over the wide seat and the ergonomically inclined column – without restricting the operating radius. This is gentle on the circulation, joints, ligaments and tendons, and holds the spinal column in place. Previous standing rests were not suitable for most standing workstations because they took up too much space, or were too complicated to use, or were not stable enough. But Fin has revolutionised standing work, because Fin

- s 100 % intuitive to use,
- s space-saving,
- s wonderfully comfortable,
- s secure and feels safe,
- s light and easy to move around,
- upports the musculoskeletal system.



Fin: Facts at a glance

Technical data



Dimensions

Cat. no.

9144

The numbers indicating the version of the frame and the colour of the seat upholstery are simply added after this number. For instance, Fin, coated aluminium with blue PU seat: 9144 2348 2001

9144E (ESD version; only available with black comfort seat)

Features

- height adjustment from 620 to 850 mm
- gas spring
- changeable glides
- comfort seat in Soft Touch PU foam
- comfort handle
- robust aluminium frame

Certificates



Choice of frame colours

Coated aluminium,
brilliant silver:

Cat. no. 2234



Coated aluminium,
black:

Cat. no. 2217



Comfort seat

Black:

Cat. no. 2000



Blue:

Cat. no. 2001



Basalt grey:

Cat. no. 2002



Design



Phoenix Design

The roots of Phoenix Design's success lie in the time-honoured traditions of classic German design. Andreas Haug and Tom Schönherr, founders and owners of the company, define their design philosophy as an attitude. The fundamental values of this attitude include ethics and aesthetics, economy and ecology, precision and innovation, all of which are reflected in the design of the innovative Fin standing work rest – uncomplicated, appealing, light and high-quality.



reddot design award
product design 2012



TAPIS ERGONOMIQUE

Tapis polyuréthanes

EXTRÊME À BULLES/TAPIS LOGO GARANTIE 12 ANS



Le tapis Extrême à Bulles est le seul tapis ergonomique avec une garantie de 12 ans. Tout le confort du tapis de polyuréthane se retrouve dans l'Extrême. Sa surface non poreuse lui donne, de plus, une facilité d'entretien exceptionnelle. Le tapis est résistant aux UV. Imprimable avec votre logo. Chambre Blanche ISO Classe 5 (Classe 100).

Disponible dans une version à bulles ou lisse.




Imprimez le tapis avec votre logo



AB CLASSIC

GARANTIE 8 ANS




Un tapis antistatique pour les secteurs d'activité secs et non abrasifs, et où de l'électricité statique est générée et doit être dissipée. Parfait en Chambre Blanche ISO Classe 5 (Classe 100), dans les lignes d'assemblage ou de cueillette.

Disponible dans une version à bulles ou lisse.



AF/EF COMPLETE

GARANTIE 5 ANS



Bonne résistance aux produits chimiques en cas de renversements de liquides ou d'huiles. Excellent choix s'il y a du trafic de chariots élévateurs. Chambre Blanche ISO Classe 5 (Classe 100).

Disponible dans une version à bulles ou lisse.



BASIC

GARANTIE 3 ANS



Une version en polyuréthane moins dense que notre Complete Uni, pour des milieux de travail sans caractéristiques particulières ou pour des endroits où la durabilité est de moins grande importance.

Disponible dans une version à bulles ou lisse.



BUBBLE DOWN

GARANTIE 4 ANS

Un tapis antistatique pour un environnement sec. Parfait pour l'industrie d'assemblage. Cleanroom ISO Class 5 (Class 100).



TAPIS ERGONOMIQUE

Tapis gomme de nitril

NITRIL CONDUCTIVE / SMOOTH GARANTIE 3 ANS



Intéressant pour les secteurs d'activité où l'électricité statique doit être contrôlée étant donné l'utilisation d'appareils électroniques très sensibles. Utilisable jusqu'à 600°C. USDA et CFIA. Chambre Blanche ISO Classe 5




HYGIENE GARANTIE 3 ANS



Le tapis idéal pour l'industrie alimentaire de même que pour les laboratoires. Conçu pour un entretien facile et une stérilisation régulière (aussi autoclave). Une excellente ergonomie combinée à une résistance chimique. Disponible en quatre couleurs vives pour une identification simple permettant un contrôle de la contamination croisée. Utilisable jusqu'à des températures de 600°C. USDA et CFIA. Chambre Blanche ISO Classe 5 (Classe 100).



SOFTLINE GARANTIE 3 ANS



Ce tapis est conçu pour les secteurs d'activité où la résistance à l'huile, aux produits pétrochimiques et à la chaleur est importante. Une excellente ergonomie pour des milieux de travail humides ou huileux. Dans les cas où les volumes de liquides sont excessifs, le redécoupage des tapis permettant un meilleur drainage est disponible. Antidérapant, même en présence d'huile ou de matières grasses. Chambre Blanche ISO Classe 5 (Classe 100).



ENDURANCE GARANTIE 5 ANS



Ce tapis perforé judicieusement est tout indiqué pour les secteurs d'activité en présence d'importantes quantités de liquides où un tapis ergonomique ne serait d'aucune utilité vu l'importance de l'évacuation des liquides. Chambre Blanche ISO Classe 5 (Classe 100).



TAPIS DE PROPRETÉ AUTOCOLLANT POUR SALLE BLANCHE

Le tapis de propreté autocollant s'avère un moyen rapide, sûr et pratique d'éliminer la saleté des chaussures de travail des employés avant que ceux-ci ne pénètrent dans un environnement où la propreté est contrôlée. Chaque tapis de propreté autocollant est recouvert de plusieurs couches de feuilles de polyéthylène très adhésives qui capturent la saleté lors des va-et-vient constants des chaussures ou des roues de chariot avant l'entrée dans les salles contrôlées.



PROJETS

